

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	105044	"707"/("1" - "10").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:32
L2	105044	"707"/("100" - "104.1").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:33
L3	105044	"707"/("200" - "205").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:33
L4	44738	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:34
L5	2437	707/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:35
L6	0	"industrial business context dimension" and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:10
L7	56	("5319395" "6249824" "5784366" "5909435" "5877742" "5303393" "5365516" "5526357" "5764691" "5894494" "5999562" "6072185" "6237122" "5507024" "5805155" "5848072" "6181609" "4455483" "5177796" "5274508" "5321699" "5386422" "5388074" "5469444" "5481531" "5506965" "5684774" "5841717" "5917429" "6178121" ). pn. and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 21:09
L8	142	(industr\$6 same context\$8 same dimension\$6) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:53
L9	10	8 and ((access\$6 log\$5 authori\$8) same facilita\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:56
L10	0	8 and ((access\$6 log\$5 authori\$8) same facilita\$6 same quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:58

## EAST Search History

L11	2814	indistr\$7 and (context\$6 same dimension\$6) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 19:57
L12	17	11 and ((access\$6 log\$5 authori\$8) same facilita\$6 same quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 21:08
L14	13	12 and (quer\$5 same (node\$1 or client\$1 or tree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:08
L15	2	8 and (quer\$5 same (node\$1 or client\$1 or tree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:08
L16	932	complex near (quer\$5 or searching) same (data adj source\$1) dimension\$1 near instance\$1 and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:11
L17	932	(complex near (quer\$5 or searching)) same (data adj source\$1) dimension\$1 near instance\$1 and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:13
L18	4	17 and (access\$6 near mechanism\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:12
L19	0	(complex near (quer\$5 or searching)) same (data adj source\$1) same (dimension\$1 near instance\$1) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:14
L20	0	(complex near (quer\$5 or searching)) same (data adj source\$1) and (dimension\$1 near instance\$1) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:15
L21	7	(complex near (quer\$5 or searching)) and (data adj source\$1) and (dimension\$1 near instance\$1) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:15
L22	23	(complex near (quer\$5 or searching)) same (data adj source\$1) and @ad<"20020726"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 21:08
L23	1	22 and function\$1 and parameter\$1 and dimension\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 20:28

## EAST Search History

L24	6	("7133872" "6381595" "7028023").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 21:10
L25	8	("7133872" "6381595" "7028023" "6853994").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/07 21:11

[Login](#) | [About IP.com](#) | [Register](#)

July 07, 2007

Search

Ad

Ads by Google

## Displaying results 1-20 of 100

Documents similar to:

20040133543 A Method and system of unifying data

Display results by: Publica

**Patent Search**

Top 6 Websites For  
Patent Search  
[www.picks-finder.com](http://www.picks-finder.com)

**\$2800 Patent Application**

Patent Attorney for  
over 15 Years and  
an examiner. \$250  
Provisional  
[www.patent-application.us](http://www.patent-application.us)

**Free Patent**

**Information**  
Request a Free  
Information  
Package on how  
we can help with  
your Patent  
[www.InventionHome.com](http://www.InventionHome.com)

**Patent**

Looking to find  
patent info?  
Browse our patent  
directory.  
[OnlyPatent.com](http://OnlyPatent.com)

**IP.com Products**

Search Prior Art  
Publish Prior Art  
Legal Safeguarding  
Agent  
Creative Registry  
InnovationQ

**IP Community****Publication** • **Abs Title**

<a href="#">20070112586</a>	A Clinical genomics merged repository and partial episode support with support abstract and semantic meaning preserving data sniffers	17-
<a href="#">20070061287</a>	A Method, apparatus and program storage device for optimizing a data warehouse model and operation	9-
<a href="#">20070055658</a>	A EFFICIENT ACCESS CONTROL ENFORCEMENT IN A CONTENT MANAGEMENT ENVIRONMENT	8-
<a href="#">20070050323</a>	A Abstractly mapped physical data fields	31-
<a href="#">20070027876</a>	A Business intelligence OLAP consumer model and API	29
<a href="#">20060294159</a>	A Method and process for co-existing versions of standards in an abstract and physical data environment	23-
<a href="#">20060294066</a>	A Visual display of information using historical condition support and event profiles	23-
<a href="#">20060271584</a>	A Apparatus and method for using ontological relationships in a computer database	26-
<a href="#">20060265404</a>	A AUTOMATED ABSTRACT DATABASE GENERATION THROUGH EXISTING APPLICATION STATEMENT ANALYSIS	3-
<a href="#">20060265385</a>	A Common interface to access catalog information from heterogeneous databases	17-
<a href="#">20060242160</a>	A METHOD AND APPARATUS FOR TRANSPORTING DATA FOR DATA WAREHOUSING APPLICATIONS THAT INCORPORATES ANALYTIC DATA INTERFACE	7-
<a href="#">20060235899</a>	A Method of migrating legacy database systems	27-
<a href="#">20060235820</a>	A Relational query of a hierarchical database	14-
<a href="#">20060230041</a>	A System and method for database access control	29-
<a href="#">20060225029</a>	A Universal database schema	22-
<a href="#">20060218177</a>	A System and method for storing and retrieving data through an inferencing-enabled metadata system	25-
<a href="#">20060206468</a>	A RULE APPLICATION MANAGEMENT IN AN ABSTRACT DATABASE	1-
<a href="#">20060195492</a>	A Method and apparatus for implementing an adaptive data warehouse	25-
<a href="#">20060190478</a>	A Method and apparatus for object oriented storage and retrieval of data from a relational database	27-
<a href="#">20060190434</a>	A Query rebinding for high-availability database systems	24-

[Login](#) | [About IP.com](#) | [Register](#)

July 07, 2007

Search

**SEARCH**

Adv

**Ads by Google**

**Regulatory  
Compliance**  
Build good  
business evidence  
Protect your e-  
records  
[www.surety.com](http://www.surety.com)

**Hodes Pessin &  
Katz, P.A.**  
Attorneys at Law  
Big firm talent,  
small firm appeal  
[www.hpklegal.com](http://www.hpklegal.com)

**Ten Gene Search  
Mistakes**  
Learn the 10 most  
common & costly  
patent search  
mistakes. Free  
paper  
[www.genomequest.com](http://www.genomequest.com)

**Patent Search**  
Top 6 Websites For  
Patent Search  
[www.picks-finder.com](http://www.picks-finder.com)

**IP.com Products**

Search Prior Art  
Publish Prior Art  
Legal Safeguarding  
Agent  
Creative Registry  
InnovationQ

**IP Community****Displaying results 21-40 of 100**

Documents similar to:

20040133543 **A** Method and system of unifying dataDisplay results by: [Publica](#)**Publication** • **Abs Title**

<a href="#">20060167850</a>	<b>A</b> System and method for providing secure access to data with user defined table functions	27-
<a href="#">20060161544</a>	<b>A</b> System and method for planning and generating queries for multi-dimensional analysis using domain models and data federation	18-
<a href="#">20060161522</a>	<b>A</b> Context insensitive model entity searching	14-
<a href="#">20060161521</a>	<b>A</b> Abstract records	14-
<a href="#">20060161515</a>	<b>A</b> Apparatus and method for SQL distinct optimization in a computer database system	14-
<a href="#">20060155747</a>	<b>A</b> Apparatus and method for automating the logging of table changes in a database	13-
<a href="#">20060143167</a>	<b>A</b> System and method for providing access to data with user defined table functions	28-
<a href="#">20060136470</a>	<b>A</b> Field-to-field join constraints	17-
<a href="#">20060136469</a>	<b>A</b> Creating a logical table from multiple differently formatted physical tables having different access methods	17-
<a href="#">20060136407</a>	<b>A</b> Transformation of a physical query into an abstract query	17-
<a href="#">20060136382</a>	<b>A</b> Well organized query result sets	17-
<a href="#">20060129598</a>	<b>A</b> Method of splitting a multi-dimensional cube between a multi-dimensional and a relational database	30-
<a href="#">20060122993</a>	<b>A</b> Abstract query plan	6-1
<a href="#">20060100992</a>	<b>A</b> Apparatus and method for data ordering for derived columns in a database system	21-
<a href="#">20060095440</a>	<b>A</b> Method and process of query optimization to a given environment via specific abstraction layer domain knowledge	29-
<a href="#">20060089946</a>	<b>A</b> System and method for managing information for a plurality of computer systems in a distributed network	7-1
<a href="#">20060085406</a>	<b>A</b> Data retrieval method	10-
<a href="#">20060080300</a>	<b>A</b> System and method for organizing data	9-1
<a href="#">20060074961</a>	<b>A</b> Method and information database structure for faster data access	24-
<a href="#">20060074934</a>	<b>A</b> Utilization of display profiles with abstract queries	30-

[Login](#) | [About IP.com](#) | [Register](#)

July 07, 2007

Search

Adv

Ads by Google

**Hodes Pessin & Katz, P.A.**

Attorneys at Law  
Big firm talent,  
small firm appeal  
[www.hpklegal.com](http://www.hpklegal.com)

**Ten Gene Search Mistakes**

Learn the 10 most common & costly patent search mistakes. Free paper  
[www.genomequest.com](http://www.genomequest.com)

**Patent Search**

Top 6 Websites For Patent Search  
[www.picks-finder.com](http://www.picks-finder.com)

**Patent**

Looking to find patent info?  
Browse our patent directory.  
[OnlyPatent.com](http://OnlyPatent.com)

**IP.com Products**

Search Prior Art  
Publish Prior Art  
Legal Safeguarding Agent  
Creative Registry  
InnovationQ

**IP Community****Displaying results 41-60 of 100**

Documents similar to:

20040133543 A Method and system of unifying data

Display results by: Publica

**Publication** • **Abs Title**

<a href="#">20060064429</a>	A Method and apparatus for providing assets reports categorized by attribute	18-
<a href="#">20060064407</a>	A Apparatus and method for optimizing a union database query	23-
<a href="#">20060036624</a>	A Automatic data consolidation	15-
<a href="#">20060026189</a>	A Method and system for reconstruction of object model data in a relational database	29
<a href="#">20060026176</a>	A Fee-based model based on database federation and query support	29
<a href="#">20060020581</a>	A Query conditions-based security	22
<a href="#">20060010127</a>	A Application portability and extensibility through database schema and query abstraction	14-
<a href="#">20060004851</a>	A OBJECT PROCESS GRAPH RELATIONAL DATABASE INTERFACE	20-
<a href="#">20060004812</a>	A Method and system for mapping datasources in a metadata model	2-
<a href="#">20050289174</a>	A Method and system for implementing and accessing a virtual table on data from a central server	28-
<a href="#">20050289144</a>	A Techniques for sharing persistently stored query results between multiple users	29-
<a href="#">20050289123</a>	A Automated data model extension through data crawler approach	25-
<a href="#">20050289119</a>	A Method and apparatus for generating and utilizing qualifiers and qualified taxonomy tables	21-
<a href="#">20050278290</a>	A Systems, methods, and computer program products that automatically discover metadata objects and generate multidimensional models	14-
<a href="#">20050262048</a>	A Dynamic database access via standard query language and abstraction technology	5-1
<a href="#">20050256831</a>	A Data query method employing an implication model and business dictionary	17-
<a href="#">20050234889</a>	A Method and system for federated querying of data sources	29-
<a href="#">20050203887</a>	A System and method for seamless access to multiple data sources	12-
<a href="#">20050187984</a>	A Data driven database management system and method	27-
<a href="#">20050165817</a>	A Data migration and analysis	8-

[Login](#) | [About IP.com](#) | [Register](#)

July 07, 2007

Search

**SEARCH**

Ad

**Ads by Google****Hodes Pessin & Katz, P.A.**

Attorneys at Law  
Big firm talent,  
small firm appeal  
[www.hpklegal.com](http://www.hpklegal.com)

**Ten Gene Search Mistakes**

Learn the 10 most common & costly patent search mistakes. Free paper  
[www.genomequest.com](http://www.genomequest.com)

**Patent Search**

Top 6 Websites For Patent Search  
[www.picks-finder.com](http://www.picks-finder.com)

**Patent**

Looking to find patent info?  
Browse our patent directory.  
[OnlyPatent.com](http://OnlyPatent.com)

**IP.com Products**

Search Prior Art  
Publish Prior Art  
Legal Safeguarding Agent  
Creative Registry  
InnovationQ

**Displaying results 61-80 of 100**

Documents similar to:

20040133543 **A** Method and system of unifying dataDisplay results by: **Publication****Publication** • **Abs Title**

<a href="#">20050160091</a>	<b>A</b> Macro-based dynamic discovery of data shape	20-
<a href="#">20050160081</a>	<b>A</b> Displaying metrics from an alternative representation of a database	21-
<a href="#">20050154756</a>	<b>A</b> Method of generating database transaction statements based on existing queries	8-
<a href="#">20050149491</a>	<b>A</b> Database management system having data aggregation module integrated therein	12-
<a href="#">20050131919</a>	<b>A</b> Efficient storage and access in a database management system	7-
<a href="#">20050114404</a>	<b>A</b> Database table version upload	21-
<a href="#">20050102271</a>	<b>A</b> Indexes with embedded data	31
<a href="#">20050102262</a>	<b>A</b> Method for mapping a hierarchical technical system in a relational database	10-
<a href="#">20050091241</a>	<b>A</b> Method for organizing analytic data for incremental knowledge management using graphs	28-
<a href="#">20050091237</a>	<b>A</b> Relational database management system having integrated non-relational multi-dimensional data store of aggregated data elements	6-
<a href="#">20050086256</a>	<b>A</b> Data structure and management system for a superset of relational databases	21-
<a href="#">20050076067</a>	<b>A</b> Method of and system for data aggregation employing dimensional hierarchy transformation	10-
<a href="#">20050076045</a>	<b>A</b> Method and system for handling multiple dimensions in relational databases	14-
<a href="#">20050065940</a>	<b>A</b> Data aggregation server for managing a multi-dimensional database and database management system having data aggregation server integrated therein	26-
<a href="#">20050060325</a>	<b>A</b> Method of and apparatus for data aggregation utilizing a multidimensional database and multi-stage data aggregation operations	19-
<a href="#">20050060307</a>	<b>A</b> System, method, and service for datatype caching, resolving, and escalating an SQL template with references	12-
<a href="#">20050060191</a>	<b>A</b> System and method for multi-dimensional extension of database information	22-
<a href="#">20050055329</a>	<b>A</b> Database management system having data aggregation module integrated therein	5-I
<a href="#">20050027720</a>	<b>A</b> Systems and methods for data processing	27-
<a href="#">20050027675</a>	<b>A</b> Systems and methods for data processing	27-

**IP Community**

[Login](#) | [About IP.com](#) | [Register](#)

July 07, 2007

Search

Ad

Ads by Google

**Hodes Pessin & Katz, P.A.**

Attorneys at Law  
Big firm talent,  
small firm appeal  
[www.hpklegal.com](http://www.hpklegal.com)

**Ten Gene Search Mistakes**

Learn the 10 most common & costly patent search mistakes. Free paper  
[www.genomequest.com](http://www.genomequest.com)

**Patent Search**

Top 6 Websites For Patent Search  
[www.picks-finder.com](http://www.picks-finder.com)

**Patent**

Looking to find patent info?  
Browse our patent directory.  
[OnlyPatent.com](http://OnlyPatent.com)

**IP.com Products**

Search Prior Art  
Publish Prior Art  
Legal Safeguarding Agent  
Creative Registry  
InnovationQ

**IP Community****Displaying results 81-100 of 100**

Documents similar to:

20040133543 A Method and system of unifying data

Display results by: | Publica

**Publication** • **Abs Title**

<a href="#">20050027674</a>	A Metadata modelling for reporting	29-
<a href="#">20050022029</a>	A System and method for providing security mechanisms for data warehousing and analysis	29-
<a href="#">20050010606</a>	A Data organization for database optimization	11
<a href="#">20050010550</a>	A System and method of modelling of a multi-dimensional data source in an entity-relationship model	27-
<a href="#">20040243595</a>	A Database management system	25-
<a href="#">20040230571</a>	A Index and query processor for data and information retrieval, integration and sharing from multiple disparate data sources	13-
<a href="#">20040225696</a>	A On-demand multi-version data dictionary to support distributed applications	8-I
<a href="#">20040210606</a>	A On-demand multi-version denormalized data dictionary to support log-based applications	16-
<a href="#">20040210552</a>	A Systems and methods for processing resource description framework data	16-
<a href="#">20040205050</a>	A Application of queries against incomplete schemas	10-
<a href="#">20040186826</a>	A Real-time aggregation of unstructured data into structured data for SQL processing by a relational database engine,	21-
<a href="#">20040158556</a>	A Automated abstract database generation through existing application statement analysis	12-
<a href="#">20040148304</a>	A Knowledge information management toolkit and method	29-
<a href="#">20040139046</a>	A Data organization in a fast query system	8-
<a href="#">20040139045</a>	A Static drill-through modelling	23
<a href="#">20040128276</a>	A System and method for accessing data in disparate information sources	9-
<a href="#">20040088334</a>	A System and method for generating reports for a versioned database	1-I
<a href="#">20040083223</a>	A Global database management system integrating heterogeneous data resources	22-
<a href="#">20040083222</a>	A Method of recursive objects for representing hierarchies in relational database systems	2-I
<a href="#">20040019587</a>	A Method and device for processing a query in a database management system	16-

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

**Google**

method and system for unifying data

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

[Web](#) [Products](#) Results 1 - 10 of about 1,690,000 for **method and system for unifying data**. (0.27 seconds)

### **Product search results for method and system for unifying data**



[Ecological Assembly Rules, Perspectives, Advances, Retreats - \\$137.66 - AbeBooks.com](#)  
[My Spin on Cricket - \\$61.64 - Biblio.com Books](#)

[See method and system for unifying data results available through Google Checkout](#)

### **METHOD AND SYSTEM OF UNIFYING DATA - Patent EP1552407**

Abstract not available for EP1552407 Abstract of correspondent: WO2004012057 A  
**system, method and database design is provided for unifying data from a ...**  
[www.freepatentsonline.com/EP1552407.html](#) - 108k - [Cached](#) - [Similar pages](#)

### **Methods and systems for unifying data parameter passing in a data ...**

**Methods, systems, and articles of manufacture consistent with the present invention provide for servers processing input data regardless of whether the ...**  
[www.freepatentsonline.com/20030097415.html](#) - 71k - [Cached](#) - [Similar pages](#)  
[ [More results from www.freepatentsonline.com](#) ]

### **Method and system for unifying search strategy and sharing search ...**

**Method and system for unifying search strategy and sharing search output - US ...**  
**Method and product for performing data transfer in a computer system ...**  
[www.patentstorm.us/patents/6708162.html](#) - 18k - [Cached](#) - [Similar pages](#)

### **Method and system for unifying component metadata - US Patent 7133872**

**A method and system for unifying component metadata includes components, ... titled System and Method for Enabling Arbitrary Components to Transfer Data ...**  
[www.patentstorm.us/patents/7133872.html](#) - 15k - [Cached](#) - [Similar pages](#)  
[ [More results from www.patentstorm.us](#) ]

### **(WO/2004/077218) SYSTEM AND METHOD FOR UNIFYING DATA AND SERVER ...**

**(WO/2004/077218) SYSTEM AND METHOD FOR UNIFYING DATA AND SERVER FUNCTIONALITIES AND HELPING INTERTALK BETWEEN THESE DIFFERENT SERVER FUNCTIONALITIES ...**  
[www.wipo.org/pctdb/en/wo.jsp?wo=2004077218](#) - 37k - [Cached](#) - [Similar pages](#)

### **Enterprise Architect - Unifying Data, Documents, and Processes**

**Disparate systems make business process automation inefficient. ... documents and used for the service method's invocation, thus making documents and data ...**  
[www.ftponline.com/ea/magazine/summer2004/features/blublinsky/default\\_pf.aspx](#) - 31k - [Cached](#) - [Similar pages](#)

### **: Supercomputing '99, A unifying data structure ...**

**A unifying data structure for hierarchical methods ...** 9 L. Greengard, The rapid evaluation of potential fields in particle systems, MIT Press, Cambridge, ...  
[portal.acm.org/citation.cfm?id=331532.331556&coll=&dl=&type=series&idx=331532&part=Pr...](#) - [Similar pages](#)

### **esp@cenet document view**

The **method** as claimed in claim 1 wherein the **unifying data** model determines ... A **system** for programming a two-tiered application, the **system** comprising: ...

v3.espacenet.com/textdoc?DB=EPODOC&F=0&IDX=CA2543898 - 39k -  
[Cached](#) - [Similar pages](#)

**A Unifying Theoretical Background for Some BDD-based Data ...**

Ch. Meinel and A. Slobodov'a. A Unifying Theoretical Background for Some BDDBased  
Data Structures. Formal Methods in System Design, 11:223--237, ...  
[citeseer.ist.psu.edu/meinel94unifying.html](#) - 24k - [Cached](#) - [Similar pages](#)

**[PDF] Learning from Data: Unifying Statistics and Computer Science**

File Format: PDF/Adobe Acrobat

Learning from Data: Unifying Statistics and Computer Science ... learning from data.

Theory, models, and methods for systems of probabilistic ...

[www.blackwell-synergy.com/doi/abs/10.1111/j.1751-5823.2005.tb00276.x](#) - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)      [Next](#)

Download [Google Pack](#): free essential software for your PC

---

[method and system for unifying data](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#) [Search](#) [Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default [[details](#)]**Web** Results 1 - 10 of about 1,900,000 for **data and industrial business context dimension**. (0.20 seconds)

### [Making Small Firms Work: Policy Dimensions and the Scottish Context](#)

Keywords: small firms, enterprise policy, **business** incubators, Scottish economy ... L52 -**Industrial Organization** - - Regulation and **Industrial Policy** ...[ideas.repec.org/p/san/crieff/9811.html](http://ideas.repec.org/p/san/crieff/9811.html) - 11k - [Cached](#) - [Similar pages](#)

### [Emerald FullText Article : Cognition-in-context: reorienting ...](#)

The interaction between two **dimensions** (for instance, .... Ulaga, W. (2001), "Customer value in **business** markets", **Industrial Marketing Management**, Vol. ...[xtra.emeraldinsight.com/.../viewContentItem.do?](http://xtra.emeraldinsight.com/.../viewContentItem.do?)[contentType=Article&hdAction=lnkhtml&contentId=856889](http://xtra.emeraldinsight.com/.../viewContentItem.do?contentType=Article&hdAction=lnkhtml&contentId=856889) - [Similar pages](#)

### [Emerald FullText Article : Customer satisfaction measurement in a ...](#)

Another critical issue especially complex in a **business-to-business context** is in integrating these different sources and types of **data** ...[xtra.emeraldinsight.com/.../viewContentItem.do?](http://xtra.emeraldinsight.com/.../viewContentItem.do?)[contentType=Article&hdAction=lnkhtml&contentId=856867](http://xtra.emeraldinsight.com/.../viewContentItem.do?contentType=Article&hdAction=lnkhtml&contentId=856867) - [Similar pages](#)

### [The utilization of GIS for streamlining organizational and support ...](#)

Cleaner Production and Sustainable **Industrial** Development ... in order to formulate a cluster GIS strategy fully integrated within the new **business context** ...[www.ics.trieste.it/ActivityDetails.aspx?activity\\_id=491](http://www.ics.trieste.it/ActivityDetails.aspx?activity_id=491) - 19k - [Cached](#) - [Similar pages](#)

### [Courses and Meetings Archive](#)

That economic development is increasingly a **data**, information, statistics and knowledge driven **business**, implies the need for new approaches to policy and ...[www.ics.trieste.it/ActivityDetailsArchive.aspx?activity\\_id=491](http://www.ics.trieste.it/ActivityDetailsArchive.aspx?activity_id=491) - 17k - [Cached](#) - [Similar pages](#)

### [Industrial Marketing Management : Outcomes of service encounter ...](#)

In a **business-to-business context**, Durvasula et al. (1999, p. 140) further found that "SERVQUAL's five **dimensions** could be reduced to a smaller number", ...[linkinghub.elsevier.com/retrieve/pii/S0019850106001805](http://linkinghub.elsevier.com/retrieve/pii/S0019850106001805) - [Similar pages](#)

### [Industrial Marketing Management : Letter from the Editor ...](#)

Longitudinal performance **data** support comparisons across the different .... on any aspect of **industrial** or **business-to-business** marketing from academic ...[linkinghub.elsevier.com/retrieve/pii/S0019850107000478](http://linkinghub.elsevier.com/retrieve/pii/S0019850107000478) - [Similar pages](#)[ More results from [linkinghub.elsevier.com](http://linkinghub.elsevier.com) ]

### [The Industrial Green Game:](#)

To be operational in the **business context**, the application of **industrial ecology** has to ....**Industrial ecology** adds several **dimensions** that transcend the ...[books.nap.edu/openbook.php?record\\_id=4982&page=148](http://books.nap.edu/openbook.php?record_id=4982&page=148) - 52k - [Cached](#) - [Similar pages](#)

### [Emerald FullText Article : Identifying the range of customer ...](#)

**Industrial Management & Data Systems**, Vol. 105 No.6, pp.769-85. ... "Customer satisfaction measurement in a **business-to-business context**: a conceptual ...[www.emeraldinsight.com/.../published/emeraldfulltextarticle/pdf/0291070407\\_ref.html](http://www.emeraldinsight.com/.../published/emeraldfulltextarticle/pdf/0291070407_ref.html) - [Similar pages](#)

[PDF] **Context Representation of Product Data**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Context Representation of Product Data** • 21. ACM SIGecom Exchanges, Vol. 4, No. 1, May 23, 2003. - Numerous heterogeneous de facto **industrial** product ...  
[www.acm.org/sigs/sigecom/exchanges/volume\\_4/4.1-Guo.pdf](http://www.acm.org/sigs/sigecom/exchanges/volume_4/4.1-Guo.pdf) - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

data and context dimension

[Search](#)

[Advanced Search Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

[Web](#)

Results 1 - 10 of about 18,800,000 for **data and context dimension**. (0.15 seconds)

### Miner3D - Visual Data Analysis Software for Business and Science

Miner3D Chemical Structures plugin allows you to see both **data** and molecules within the same **data analysis context**. Now improved to handle even more ...

[www.miner3d.com/](http://www.miner3d.com/) - 19k - [Cached](#) - [Similar pages](#)

### Evolution of Dimension Data in Temporal Data Warehouses ...

Typically time is one of the **dimensions** we find in **data warehouses** allowing ... 4 Temporal Structures in **Data Warehousing (context)** - Chamoni, Stock ACM DBLP ...

[citeseer.ist.psu.edu/461768.html](http://citeseer.ist.psu.edu/461768.html) - 23k - [Cached](#) - [Similar pages](#)

### Intrinsic Dimension Estimation of Data: An Approach Based on ...

Context of citations to this paper: More ...on **dimension** of the submanifold onto project the **data**. Therefore techniques to estimate the intrinsics **dimension** ...

[citeseer.ist.psu.edu/481959.html](http://citeseer.ist.psu.edu/481959.html) - 25k - [Cached](#) - [Similar pages](#)

[ [More results from citeseer.ist.psu.edu](#) ]

### [PDF] Context-aware views for mobile users Extended Abstract

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**data** according to the user information needs. The paper is organized as follows: Section 2 presents. the **Context Dimension Tree** [5], along with some consid- ...

[www.dblab.ntua.gr/persdl2007/papers/61.pdf](http://www.dblab.ntua.gr/persdl2007/papers/61.pdf) - [Similar pages](#)

### Pervasive Computing: Second International Conference, Pervasive ... - Google Books Result

by Alois Ferscha, Friedemann Mattern - 2004 - Computers - 358 pages

Given a **context dimension** table and a corresponding cube, ... There are currently over 1000000 **context data** points stored in the **context warehouse**. ...

[books.google.com/books?isbn=3540218351...](http://books.google.com/books?isbn=3540218351...)

### Intelligent Enterprise Magazine - Data Warehouse Designer: Fact ...

But you have to account for the slow, episodic change of these **dimensions** in the way you handle them. In effect, as keepers of the **data warehouse**, ...

[www.intelligententerprise.com/030101/602warehouse1\\_1.jhtml](http://www.intelligententerprise.com/030101/602warehouse1_1.jhtml) - 53k - Jul 6, 2007 -

[Cached](#) - [Similar pages](#)

### [PDF] Simultaneous clustering of phonetic context, dimension, and state ...

File Format: PDF/Adobe Acrobat

training **data** can be created by tracing down the tree and. assigning them to leaf nodes. ... phonetic **context** and **dimension** as splitting criteria. In ...

[doi.wiley.com/10.1002/scj.20357](http://doi.wiley.com/10.1002/scj.20357) - [Similar pages](#)

### [PDF] Applying Context to Web Authentication

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the ability for interceptor to reuse **data**. Many **dimensions of context** constraints are ...

Partially Reusable **Data**: Example **Context Dimensions**. Destination ...

[www.w3.org/2005/Security/usability-ws/presentations/03-rsa-context](http://www.w3.org/2005/Security/usability-ws/presentations/03-rsa-context) - [Similar pages](#)

### Data Warehouse « Systems Engineering

In effect, as keepers of the **data warehouse**, we have taken a pledge to .... you have

systematically stripped off all the ticket **context as dimensions**, ...  
systemsengineering.wordpress.com/data-warehouse/ - 32k - Jul 6, 2007 -  
[Cached](#) - [Similar pages](#)

[PDF] [Kinetic Visualization: A New Dimension of Tools for Intelligence ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**context**. This allows analysts to discover patterns in the **data** that are visible only when looking through multiple. **dimensions** of the **data** or multiple ...

www.bbn.com/resources/pdf/KineViz.pdf - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10      [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

data and context dimension

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

nodes and context dimension

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

[Web](#)

Results 1 - 10 of about 1,660,000 for **nodes and context dimension**. (0.15 seconds)

### [Semantic Schema - google.public.labs.compute | Google Groups](#)

<Node type="Context" name="World" nid="N" hid="N"> <Node type="Category" name="Greetings" ... Dimensioned Numeric Language:.. <Context> <Dimension id="Time"> ...  
[groups.google.com/group/google.public.labs.compute/](http://groups.google.com/group/google.public.labs.compute/browse_thread/thread/10160e75baa99e35)  
[browse\\_thread/thread/10160e75baa99e35](#) - 53k - [Cached](#) - [Similar pages](#)

### [\[PDF\] LNCS 3203 - Virtualizing the Dimensions of a Coarse-Grained ...](#)

File Format: PDF/Adobe Acrobat  
 tual implementation is done in RAA framework. It is shown how the **context** switch. can be used to virtualize the **dimensions** of the array by using **node** based ...  
[www.springerlink.com/index/13V482EP792JNUY6.pdf](http://www.springerlink.com/index/13V482EP792JNUY6.pdf) - [Similar pages](#)

### [\[PDF\] Multidimensional XML](#)

File Format: PDF/Adobe Acrobat  
 supports intensional operators that work along each different **dimension**. A lan- .... **context node** while the thick line is called **context** edge. ...  
[www.springerlink.com/index/TFHF0AE3H4X5KGJK.pdf](http://www.springerlink.com/index/TFHF0AE3H4X5KGJK.pdf) - [Similar pages](#)  
[\[ More results from www.springerlink.com \]](#)

### [\[PDF\] LNCS 4278 - Context-Driven Data Filtering: A Methodology](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 To differentiate these two main types of **nodes** in the **Context Dimension** Tree two. colors have been used; black **nodes** are **dimension nodes**, whereas white ...  
[www.dis.uniroma1.it/~esteem/docs/Publications/paper%20POLIMI/cams2006.pdf](http://www.dis.uniroma1.it/~esteem/docs/Publications/paper%20POLIMI/cams2006.pdf) - [Similar pages](#)

### [\[PDF\] Exploiting Social Context Information in Context-Aware Mobile ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 subgraphs connected to people **nodes** .... nearly all mobile tourist guides, social **context dimensions** can prove themselves. useful in many ways, such as: ...  
[mobileguide06.di.unito.it/pdf/Buriano.pdf](http://mobileguide06.di.unito.it/pdf/Buriano.pdf) - [Similar pages](#)

### [DBAzone.com: Have It Your Way: Conformed Dimensions and Alternate ...](#)

Only **dimension nodes** that are instances of the same entity class should be grouped ....  
 The **context** we've assumed for this article, up to this point, ...  
[www.dbazine.com/datawarehouse/dw-articles/lewis3](http://www.dbazine.com/datawarehouse/dw-articles/lewis3) - 35k - [Cached](#) - [Similar pages](#)

### [Creating Frameworks for Organizing Information > The Need for ...](#)

One way to think about facets is as **dimensions** in a multidimensional space. ... **Nodes in context**: A variation on navigation sets are **nodes in context**. ...  
[www.awprofessional.com/articles/article.asp?p=102609](http://www.awprofessional.com/articles/article.asp?p=102609) - 43k - [Cached](#) - [Similar pages](#)

### [\[PDF\] Using Object Variants to Support Context-Aware Interactions](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 associated with entities representing the relevant **context dimensions**. Depend- ....  
 extends OEM with multidimensional **nodes and context edges**. ...  
[www.globis.ethz.ch/script/publication/download?docid=453](http://www.globis.ethz.ch/script/publication/download?docid=453) - [Similar pages](#)

[\[PDF\] Context-aware views for mobile users Extended Abstract](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Figure 1: The **Context Dimension** Tree for the running example on archaeological sites. ...  
to each white **node** in the tree – e.g., in the archaeological ...  
[www.dblab.ntua.gr/persdl2007/papers/61.pdf](http://www.dblab.ntua.gr/persdl2007/papers/61.pdf) - [Similar pages](#)

[\[PDF\] Context-aware adaptation for mobile devices - Mobile Data ...](#)

File Format: PDF/Adobe Acrobat

**node** to the user **node**. The application of a path  $p$  is, equivalent to the execution of the  
following .... considered **context dimension** is the user language. ...  
[ieeexplore.ieee.org/iel5/8923/28243/01263048.pdf](http://ieeexplore.ieee.org/iel5/8923/28243/01263048.pdf) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)[Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[nodes and context dimension](#)[Search](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

data and industrial business context dimension



THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used: [data](#) and [industrial business context dimension](#)

Found 101,080 of 205,978

Sort results by relevance

[Save results to a Binder](#)

[Search Tips](#)

Display results expanded form

Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [Document management: Context representation, transformation and comparison for](#)

[ad hoc product data exchange](#)

Jingzhi Guo, Chengzheng Sun

November 2003 **Proceedings of the 2003 ACM symposium on Document engineering DocEng '03**

Publisher: ACM Press

Full text available: [pdf\(275.65 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Product data exchange is the precondition of business interoperation between Web-based firms. However, millions of small and medium sized enterprises (SMEs) encode their Web product data in ad hoc formats for electronic product catalogues. This prevents product data exchange between business partners for business interoperation. To solve this problem, this paper has proposed a novel concept-centric catalogue engineering approach for representing, transforming and comparing semantic contexts in a ...

**Keywords:** XML product map, XPM, ad hoc product data exchange, concept, context comparison, context representation, context transformation, electronic commerce, electronic product catalogue, product data integration, semantics

2 [Frontmatter \(TOC, Letters, Philosophy of computer science, Interviewers needed,](#)

[Taking software requirements creation from folklore to analysis, SW components and product lines: from business to systems and technology, Software engineering survey\)](#)

September 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 5

Publisher: ACM Press

Full text available: [pdf\(1.98 MB\)](#) Additional Information: [full citation](#), [index terms](#)

3 [Context representation of product data](#)

Jingzhi Guo, Chengzheng Sun

March 2003 **ACM SIGecom Exchanges**, Volume 4 Issue 1

Publisher: ACM Press

Full text available: [pdf\(208.99 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper investigates the context representation of *ad hoc* product data that distribute

in different semantic communities especially in small and medium sized enterprises through the analysis of the problems in extracting, mediating and comparing product contexts. The problem analysis leads to a proposal for a novel context representation model that separates the representation process into two steps: transform irregular local product definitions into canonical local product representat ...

**Keywords:** context representation, electronic commerce, product catalogue, product data integration

**4 Data processing in the large: BlwTL: a business information warehouse toolkit and**

 **language for warehousing simplification and automation**

Bin He, Rui Wang, Ying Chen, Ana Lelescu, James Rhodes

June 2007 **Proceedings of the 2007 ACM SIGMOD international conference on Management of data SIGMOD '07**

Publisher: ACM Press

Full text available:  [pdf\(355.95 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Rapidly leveraging information analytics technologies to mine the mounting information in structured and unstructured forms, derive business insights and improve decision making is becoming increasingly critical to today's business successes. One of the key enablers of the analytics technologies is an Information Warehouse Management System (IWMS) that processes different types and forms of information, builds, and maintains the information warehouse (IW) effectively. Although traditional mul ...

**Keywords:** data mining, information warehouse, warehousing language

**5 Designing data marts for data warehouses**

 October 2001 **ACM Transactions on Software Engineering and Methodology (TOSEM),**

Volume 10 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(203.43 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Data warehouses are databases devoted to analytical processing. They aré used to support decision-making activities in most modern business settings, when complex data sets have to be studied and analyzed. The technology for analytical processing assumes that data are presented in the form of simple data marts, consisting of a well-identified collection of facts and data analysis dimensions (star schema). Despite the wide diffusion of data warehouse technology and concepts, we still miss me ...

**Keywords:** conceptual modeling, data mart, data warehouse, design method, software quality management

**6 Information systems outsourcing: a survey and analysis of the literature**

 Jens Dibbern, Tim Goles, Rudy Hirschheim, Bandula Jayatilaka

November 2004 **ACM SIGMIS Database**, Volume 35 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(1.51 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

In the last fifteen years, academic research on information systems (IS) outsourcing has evolved rapidly. Indeed the field of outsourcing research has grown so fast that there has been scant opportunity for the research community to take a collective breath, and complete a global assessment of research activities to date. This paper seeks to address this need by exploring and synthesizing the academic literature on IS outsourcing. It

offers a roadmap of the IS outsourcing literature, highlight ...

**Keywords:** determinants, literature review, outcomes, outsourcing, relationships, research approaches, theoretical foundations

7 Reflections on the dimensions of trust and trustworthiness among online consumers 

 David Gefen

August 2002 **ACM SIGMIS Database**, Volume 33 Issue 3

Publisher: ACM Press

Full text available:  pdf(581.74 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Trust is emerging as a potentially central aspect leading to IT acceptance. It is especially needed in the case of gaining and later retaining consumers of online vendors. This has been shown by previous research using single dimensional constructs. But trust can also be viewed as a multi-dimensional construct combining specific beliefs (sometimes labeled as trustworthiness) that either directly or through an overall assessment of trust influence relevant behavioral intentions. To show the need ...

**Keywords:** ability, benevolence, electronic commerce, integrity, trust, trust scales, trustworthiness, world wide web

8 Industrial sessions: big data: TPC-DS, taking decision support benchmarking to the 

 next level

Meikel Poess, Bryan Smith, Lubor Kollar, Paul Larson

June 2002 **Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02**

Publisher: ACM Press

Full text available:  pdf(645.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

TPC-DS is a new decision support benchmark currently under development by the Transaction Processing Performance Council (TPC). This paper provides a brief overview of the new benchmark. The benchmark models the decision support functions of a retail product supplier, including data loading, multiple types of queries and data maintenance. The database consists of multiple snowflake schemas with shared dimension tables; data is skewed; and the query set is large. Overall, the benchmark is consider ...

**Keywords:** TPC, benchmark, data warehouse, decision support, performance evaluation

9 Frontmatter (TOC, Letters, Election results, Software Reliability Resources!) 

 Computing Curricula 2004 and the Software Engineering Volume SE2004, Software Reuse Research, ICSE 2005 Forward)

July 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 4

Publisher: ACM Press

Full text available:  pdf(6.19 MB) Additional Information: [full citation](#), [index terms](#)

10 Database design with common sense business reasoning and learning 

 Veda C. Storey, Roger H. L. Chiang, Debabrata Dey, Robert C. Goldstein, Shankar Sudaresan December 1997 **ACM Transactions on Database Systems (TODS)**, Volume 22 Issue 4

Publisher: ACM Press

Full text available: [pdf\(1.30 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Automated database design systems embody knowledge about the database design process. However, their lack of knowledge about the domains for which databases are being developed significantly limits their usefulness. A methodology for acquiring and using general world knowledge about business for database design has been developed and implemented in a system called the Common Sense Business Reasoner, which acquires facts about application domains and organizes them into a hierarchical, con ...

**Keywords:** common sense business reasoner, common sense learning, common sense reasoning, database design, entity-relationship model

11 Industrial papers: query processing: Modeling and querying multidimensional data sources in Siebel Analytics: a federated relational system

 Kazi A. Zaman, Donovan A. Schneider

June 2005 **Proceedings of the 2005 ACM SIGMOD international conference on Management of data SIGMOD '05**

Publisher: ACM Press

Full text available: [pdf\(401.92 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Large organizations have a multitude of data sources across the enterprise and want to obtain business value from all of them. While the majority of these data sources may be consolidated in an enterprise data warehouse, many business units have their own data marts where analysis is carried out against data stored in multidimensional data structures. It is often critical to pose queries which span both these sources. This is a challenge since these sources have differing models and query langua ...

12 Business-to-business interactions: issues and enabling technologies

B. Medjahed, B. Benatallah, A. Bouguettaya, A. H. H. Ngu, A. K. Elmagarmid

May 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 12 Issue 1

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(558.34 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Business-to-Business (B2B) technologies pre-date the Web. They have existed for at least as long as the Internet. B2B applications were among the first to take advantage of advances in computer networking. The Electronic Data Interchange (EDI) business standard is an illustration of such an early adoption of the advances in computer networking. The ubiquity and the affordability of the Web has made it possible for the masses of businesses to automate their B2B interactions. However, several issu ...

**Keywords:** B2B Interactions, Components, E-commerce, EDI, Web services, Workflows, XML

13 Approaches to the development of multi-dimensional databases: lessons from four case studies

 Helen Hasan, Peter Hyland, David Dodds, Raja Veeraraghavan

June 2000 **ACM SIGMOD Database**, Volume 31 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The paper explores the manner in which an organization's data and information can be effectively utilized to assist an organization to achieve its business objectives. With the increased popularity of data warehousing and executive information systems, there is renewed interest by IT practitioners in data models and database structures, in particular

multi-dimensional forms, which have joined their relational counterparts as legitimate tools for extracting vital business information from an orga ...

**Keywords:** OLAP, case study, executive information systems, management, methodology, multi-dimensional database, organization, relational database

**14 Approaches to the development of multi-dimensional databases: lessons from four case studies**

 Helen Hasan, Peter Hyland, David Dodds, Raja Veeraraghavan  
May 2000 **ACM SIGMIS Database**, Volume 31 Issue 2

Publisher: ACM Press

Full text available:  pdf(1.21 MB) Additional Information: [full citation](#), [index terms](#)

**Keywords:** OLAP, case study, executive information systems, management, methodology, multi-multidimensional database, organization, relational database

**15 Industrial and government applications track papers: Opportunity map: identifying causes of failure - a deployed data mining system**

 Kaidi Zhao, Bing Liu, Jeffrey Benkler, Weimin Xiao  
August 2006 **Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining KDD '06**

Publisher: ACM Press

Full text available:  pdf(2.47 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we report a deployed data mining application system for Motorola. Originally, its intended use was for identifying causes of cellular phone failures, but it has been found to be useful for many other engineering data sets as well. For this report, the case study is a dataset containing cellular phone call records. This data set is like any dataset used in classification applications, i.e., with a set of attributes which can be continuous or discrete, and a discrete class attribute ...

**Keywords:** class association rules, general impressions, visual data mining

**16 Advances in data warehousing: Research in data warehouse modeling and design: dead or alive?**

 Stefano Rizzi, Alberto Abelló, Jens Lechtenbörger, Juan Trujillo  
November 2006 **Proceedings of the 9th ACM international workshop on Data warehousing and OLAP DOLAP '06**

Publisher: ACM Press

Full text available:  pdf(202.01 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multidimensional modeling requires specialized design techniques. Though a lot has been written about how a data warehouse should be designed, there is no consensus on a design method yet. This paper follows from a wide discussion that took place in Dagstuhl, during the Perspectives Workshop "Data Warehousing at the Crossroads", and is aimed at outlining some open issues in modeling and design of data warehouses. More precisely, issues regarding conceptual models, logical models, methods for des ...

**Keywords:** data warehouse design, multidimensional modeling

**17 Multidimensional data modeling for location-based services** Christian S. Jensen, Augustas Kligys, Torben Bach Pedersen, Igor TimkoJanuary 2004 **The VLDB Journal — The International Journal on Very Large Data****Bases**, Volume 13 Issue 1**Publisher:** Springer-Verlag New York, Inc.Full text available:  [pdf\(359.59 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

With the recent and continuing advances in areas such as wireless communications and positioning technologies, mobile, location-based services are becoming possible. Such services deliver location-dependent content to their users. More specifically, these services may capture the movements and requests of their users in multidimensional databases, i.e., data warehouses, and content delivery may be based on the results of complex queries on these data warehouses. Such queries aggregate detailed da ...

**Keywords:** Data modeling, Location-based services, Multidimensional data, Partial containment

**18 The advantages of electronic data interchange** François Bergeron, Louis RaymondOctober 1992 **ACM SIGMIS Database**, Volume 23 Issue 4**Publisher:** ACM PressFull text available:  [pdf\(1.31 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

The purpose of this research was to identify success factors of EDI implementation and the benefits organizations could obtain by using this technology. The success factors found empirically in a field study of 140 Canadian enterprises are the organizational support, the implementation process, the control procedures and the level of EDI integration in the firm. The level of success also depends upon the level of imposition of EDI by partners. The study found evidence that, in order of importanc ...

**19 Industrial, applications, and experience sessions: Industry 2: Decision support: The making of TPC-DS**

Raghunath Othayoth, Meikel Poess

September 2006 **Proceedings of the 32nd international conference on Very large data bases VLDB '06****Publisher:** VLDB EndowmentFull text available:  [pdf\(658.32 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

For the last decade, the research community and the industry have used TPC-D and its successor TPC-H to evaluate performance of decision support technology. Recognizing a paradigm shift in the industry the Transaction Processing Performance Council has developed a new Decision Support benchmark, TPC-DS, expected to be released this year. From an ease of benchmarking perspective it is similar to past benchmarks. However, it adjusts for new technology and new approaches the industry has embarked o ...

**20 Complexities in IS sourcing: equifinality and relationship management** Barbara L. Marcolin, Alain RossOctober 2005 **ACM SIGMIS Database**, Volume 36 Issue 4**Publisher:** ACM PressFull text available:  [pdf\(314.50 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Growth in IS outsourcing spurred research in the area that spans many perspectives but contains contradictory findings. Inconsistent findings raise confusion and doubt, leaving managers uncertain about IS sourcing directions and researchers unclear about

theoretical perspectives relevant to IS sourcing. We argue that the concept of equifinality accounts for much of this confusion. Equifinality suggests that, in the struggle to match conflicting functional demands with structural options, many equ ...

**Keywords:** IS sourcing, equifinality, framework, governance, partnership, relationship management

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

data and context dimension.

**SEARCH**

## THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used: [data](#) and [context dimension](#)

Found 85,608 of 205,978

Sort results by relevance

[Save results to a Binder](#)

Display results expanded form

[Search Tips](#)

[Open results in a new window](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

- 1 [Data warehouse models: A relevance-extended multi-dimensional model for a data warehouse contextualized with documents](#)

Juan Manuel Pérez, Rafael Berlanga, María José Aramburu, Torben Bach Pedersen  
November 2005 **Proceedings of the 8th ACM international workshop on Data warehousing and OLAP DOLAP '05**

Publisher: ACM Press

Full text available: [pdf\(349.03 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Current data warehouse and OLAP technologies can be applied to analyze the structured data that companies store in their databases. The circumstances that describe the context associated with these data can be found in other internal and external sources of documents: In this paper we propose to combine the traditional corporate data warehouse with a document warehouse, resulting in a contextualized warehouse. Thus, contextualized warehouses keep a historical record of the fact and their context ...

**Keywords:** OLAP, text-rich XML documents

- 2 [Visualization: On interactive visualization of high-dimensional data using the hyperbolic plane](#)

Jörg A. Walter, Helge Ritter  
July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining KDD '02**

Publisher: ACM Press

Full text available: [pdf\(2.26 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We propose a novel projection based visualization method for high-dimensional datasets by combining concepts from MDS and the geometry of the hyperbolic spaces. Our approach *Hyperbolic Multi-Dimensional Scaling* (H-MDS) extends earlier work [7] using hyperbolic spaces for visualization of tree structures data ("hyperbolic tree browser"). By borrowing concepts from multi-dimensional scaling we map proximity data directly into the 2-dimensional hyperbolic space ( $H^2$ ). This removes the restri ...

**Keywords:** H-MDS, focus+context, hyperbolic multi-dimensional scaling, infoViz, semantic browsing, text mining, visualizing high-dimensional data

 Data quality in context

Diane M. Strong, Yang W. Lee, Richard Y. Wang  
 May 1997 **Communications of the ACM**, Volume 40 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(172.00 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**4 Dissemination of data and context: Distributed caching of multi-dimensional data in mobile environments**

 Bin Liu, Wang-Chien Lee, Dik Lun Lee  
 May 2005 **Proceedings of the 6th international conference on Mobile data management MDM '05**

Publisher: ACM Press

Full text available:  [pdf\(306.58 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Caching has been an important technique for saving network traffic and reducing response time, especially in mobile environments where bandwidth is often a scarce resource. In this paper, we propose a novel approach for caching multidimensional data in a cluster of mobile devices. In particular, we focus on the most common types of multi-dimensional queries, namely range and k-nearest neighbor queries, by computing a cacheable region for every query, caching the result at the client, and indexin ...

**Keywords:** caching, mobile data management, multi-dimensional database

**5 Poster papers - short papers: A visual interface technique for exploring OLAP data with coordinated dimension hierarchies**

 Mark Sifer  
 November 2003 **Proceedings of the twelfth international conference on Information and knowledge management CIKM '03**

Publisher: ACM Press

Full text available:  [pdf\(272.82 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multi-dimensional data occurs in many domains while a wide variety of text based and visual interfaces for querying such data exists. But many of these interfaces are not applicable to OLAP, as they do not support use of dimension hierarchies for selection and aggregation. We introduce an interface technique which supports visual querying of OLAP data, that has been implemented in the SGViewer tool. It is based on a data graph rather than a data cube representation of the data. Our interface pre ...

**Keywords:** OLAP, data exploration, hierarchies, interface

**6 Outlier detection for high dimensional data**

 Charu C. Aggarwal, Philip S. Yu  
 May 2001 **ACM SIGMOD Record , Proceedings of the 2001 ACM SIGMOD international conference on Management of data SIGMOD '01**, Volume 30 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(197.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The outlier detection problem has important applications in the field of fraud detection, network robustness analysis, and intrusion detection. Most such applications are high dimensional domains in which the data can contain hundreds of dimensions. Many recent algorithms use concepts of proximity in order to find outliers based on their relationship to the rest of the data. However, in high dimensional space, the data is sparse and the

notion of proximity fails to retain its meaningfulness. ...


7 Solving the occlusion problem for three-dimensional distortion-oriented displays

Donovan Winch, Paul Calder, Raymond Smith

January 2001 **Australian Computer Science Communications , Proceedings of the 2nd Australasian conference on User interface AUIC '01**, Volume 23 Issue 5

Publisher: IEEE Computer Society, IEEE Computer Society Press

Full text available:



[pdf\(1.60 MB\)](#)



Additional Information: [full citation](#), [abstract](#), [references](#)

[Publisher Site](#)

Recent research into distortion-oriented displays (DODs) and non-linear magnification techniques has considered extending their application to large three-dimensional datasets. Inherent properties of three-dimensional datasets introduce some difficulties that do not occur in 2D environments. This paper considers the Occlusion Problem - that of context data hiding, or occluding, some or all of the data within an area of focus. A novel solution to this problem is proposed; namely the use of non-ge ...


8 Simultaneous optimization and evaluation of multiple dimensional queries

Yihong Zhao, Prasad M. Deshpande, Jeffrey F. Naughton, Amit Shukla

June 1998 **ACM SIGMOD Record , Proceedings of the 1998 ACM SIGMOD international conference on Management of data SIGMOD '98**, Volume 27 Issue 2

Publisher: ACM Press

Full text available:



[pdf\(1.52 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

[terms](#)

Database researchers have made significant progress on several research issues related to multidimensional data analysis, including the development of fast cubing algorithms, efficient schemes for creating and maintaining precomputed group-bys, and the design of efficient storage structures for multidimensional data. However, to date there has been little or no work on multidimensional query optimization. Recently, Microsoft has proposed "OLE DB for OLAP" as a standard multidime ...

9 Re-designing distance functions and distance-based applications for high


dimensional data

Charu C. Aggarwal

March 2001 **ACM SIGMOD Record**, Volume 30 Issue 1

Publisher: ACM Press

Full text available:



[pdf\(644.27 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

In recent years, the detrimental effects of the curse of high dimensionality have been studied in great detail on several problems such as clustering, nearest neighbor search, and indexing. In high dimensional space the data becomes sparse, and traditional indexing and algorithmic techniques fail from the performance perspective. Recent research results show that in high dimensional space, the concept of proximity may not even be qualitatively meaningful [6]. In this paper, we try to outline the ...


10 Research track: Efficiently handling feature redundancy in high-dimensional data

Lei Yu, Huan Liu

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining KDD '03**

Publisher: ACM Press

Full text available:



[pdf\(152.06 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

[terms](#)

High-dimensional data poses a severe challenge for data mining. Feature selection is a frequently used technique in pre-processing high-dimensional data for successful data mining. Traditionally, feature selection is focused on removing irrelevant features.

However, for high-dimensional data, removing redundant features is equally critical. In this paper, we provide a study of feature redundancy in high-dimensional data and propose a novel correlation-based approach to feature selection within t ...

**Keywords:** feature selection, high-dimensional data, redundancy

**11 Connecting time-oriented data and information to a coherent interactive visualization** 

 Ragnar Bade, Stefan Schlechtweg, Silvia Miksch

April 2004 **Proceedings of the SIGCHI conference on Human factors in computing systems CHI '04**

Publisher: ACM Press

Full text available:  [pdf\(1.35 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In modern intensive care units (ICUs), the medical staff has to monitor a huge amount of high-dimensional and time-oriented data, which needs to be visualized user- and task-specifically to ease diagnosis and treatment planning. Available visual representations, like diagrams or charts neglect the implicit information as well as a-priory or associated knowledge about the data and its meaning (for example, 38.5°C (101.3°F) is moderate fever and 41°C (105.8°F) is critical fever ...

**Keywords:** health care, information visualization, medical application: intensive care units, temporal data modeling and abstraction, user interface design, visualization

**12 Interactive feature specification for focus+context visualization of complex simulation data** 

Helmut Doleisch, Martin Gasser, Helwig Hauser

May 2003 **Proceedings of the symposium on Data visualisation 2003 VISSYM '03**

Publisher: Eurographics Association

Full text available:  [pdf\(1.98 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

Visualization of high-dimensional, large data sets, resulting from computational simulation, is one of the most challenging fields in scientific visualization. When visualization aims at supporting the analysis of such data sets, feature-based approaches are very useful to reduce the amount of data which is shown at each instance of time and guide the user to the most interesting areas of the data. When using feature-based visualization, one of the most difficult questions is how to extract or spe ...

**13 CROSS-DB: a feature-extended multidimensional data model for statistical and scientific databases** 

 Wolfgang Lehner, Thomas Ruf, Michael Teschke

November 1996 **Proceedings of the fifth international conference on Information and knowledge management CIKM '96**

Publisher: ACM Press

Full text available:  [pdf\(1.02 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**14 Research contributions: Utility-driven assessment of data quality** 

 Adir Even, G. Shankaranarayanan

May 2007 **ACM SIGMOD Database**, Volume 38 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(503.85 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data consumers assess quality within specific business contexts or decision tasks. The

same data resource may have an acceptable level of quality for some contexts but this quality may be unacceptable for other contexts. However, existing data quality metrics are mostly derived impartially, disconnected from the specific contextual characteristics. This study argues for the need to revise data quality metrics and measurement techniques to incorporate and better reflect contextual assessment. ...

**Keywords:** data management, data quality, database, decision making, information products, information value, metadata, utility

**15 Session 3: A scalable data structure for three-dimensional non-manifold objects**

Leila De Floriani, Annie Hui

June 2003 **Proceedings of the 2003 Eurographics/ACM SIGGRAPH symposium on Geometry processing SGP '03**

Publisher: Eurographics Association

Full text available:  pdf(270.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we address the problem of representing and manipulating non-manifold, mixed-dimensional objects described by three-dimensional simplicial complexes embedded in the 3D Euclidean space. We describe the design and the implementation of a new data structure, that we call the non-manifold indexed data structure with adjacencies (NMIA), which can represent any three-dimensional Euclidean simplicial complex compactly, since it encodes only the vertices and the top simplexes of the comple ...

**16 Spatial and nearest-neighbor queries: Contorting high dimensional data for efficient main memory KNN processing**

Bin Cui, Beng Chin Ooi, Jianwen Su, Kian-Lee Tan

June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data SIGMOD '03**

Publisher: ACM Press

Full text available:  pdf(229.89 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we present a novel index structure, called  $\Delta$ -tree, to speed up processing of high-dimensional K-nearest neighbor (KNN) queries in main memory environment. The  $\Delta$ -tree is a multi-level structure where each level represents the data space at different dimensionalities: the number of dimensions increases towards the leaf level which contains the data at their full dimensions. The remaining dimensions are obtained using *Principal Component Analysis*, which has the des ...

**17 From DQ to EQ: understanding data quality in the context of e-business systems**

Yong Jin Kim, Rajiv Kishore, G. Lawrence Sanders

October 2005 **Communications of the ACM**, Volume 48 Issue 10

Publisher: ACM Press

Full text available:  pdf(772.27 KB)  html(29.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A fix for irrelevant information, cognitive overhead, and disorientation---common gremlins endured by every e-business system user.

**18 Applications: Fast retrieval of high-dimensional feature vectors in P2P networks using compact peer data summaries**

Wolfgang Müller, Andreas Henrich

November 2003 **Proceedings of the 5th ACM SIGMM international workshop on Multimedia information retrieval MIR '03**

Publisher: ACM Press

Full text available: [pdf\(378.07 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The retrieval facilities of most Peer-to-Peer (P2P) systems are limited to queries based on a unique identifier or a small set of keywords. The techniques used for this purpose are hardly applicable for content-based image retrieval (CBIR) in a P2P network. Furthermore, we will argue that the curse of dimensionality and the high communication overhead prevent the adaptation of multidimensional search trees or fast sequential scan techniques for P2P CBIR. In the present paper we will propose two ...

**19 Dimensions of meaning**

H. Schütze

December 1992 **Proceedings of the 1992 ACM/IEEE conference on Supercomputing**  
**Supercomputing '92**

Publisher: IEEE Computer Society Press

Full text available: [pdf\(964.54 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**20 Data mining and aggregation: Enhanced mining of association rules from data cubes**



Riadh Ben Messaoud, Sabine Loudcher Rabaséda, Omar Boussaid, Rokia Missaoui

November 2006 **Proceedings of the 9th ACM international workshop on Data warehousing and OLAP DOLAP '06**

Publisher: ACM Press

Full text available: [pdf\(469.79 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

On-line analytical processing (OLAP) provides tools to explore and navigate into data cubes in order to extract interesting information. Nevertheless, OLAP is not capable of explaining relationships that could exist in a data cube. Association rules are one kind of data mining techniques which finds associations among data. In this paper, we propose a framework for mining inter-dimensional association rules from data cubes according to a *sum-based aggregate measure* more general than simpl ...

**Keywords:** OLAP, association rules, data cubes

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

nodes and context dimension

**SEARCH**

## THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used: [nodes](#) and [context dimension](#)

Found 48,788 of 205,978

Sort results by relevance

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results expanded form

[Search Tips](#)

[Try this search in The ACM Guide](#)

[Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

### 1 [Querying and Updating a Context-Aware Service Directory in Mobile Environments](#)

Christos Doulkeridis, Michalis Vazirgiannis

September 2004 **Proceedings of the 2004 IEEE/WIC/ACM International Conference on Web Intelligence WI '04**

Publisher: IEEE Computer Society

Full text available: [.pdf\(136.04 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [cited by](#)

[Publisher Site](#)

Several interesting research directions materialize through the convergence of mobile computing and service-oriented computing. As mobile devices keep getting smaller, cheaper and more sophisticated, their use is becoming a commodity. We envision future scenarios that involve mobile devices acting not only as requestors, but as providers of data as well. In order to hide the heterogeneous nature of web data, service-oriented architectures are adopted. Nevertheless, existing service discovery mec ...

### 2 [Estimating High-Dimensional Directed Acyclic Graphs with the PC-Algorithm](#)

Markus Kalisch, Peter Bühlmann

May 2007 **The Journal of Machine Learning Research**, Volume 8

Publisher: MIT Press

Full text available: [.pdf\(230.54 KB\)](#) Additional Information: [full citation](#), [abstract](#)

We consider the PC-algorithm (Spirtes et al., 2000) for estimating the skeleton and equivalence class of a very high-dimensional directed acyclic graph (DAG) with corresponding Gaussian distribution. The PC-algorithm is computationally feasible and often very fast for sparse problems with many nodes (variables), and it has the attractive property to automatically achieve high computational efficiency as a function of sparseness of the true underlying DAG. We prove uniform consistency of the a ...

### 3 [Query and view processing: Aggregate queries in peer-to-peer OLAP](#)

Mauricio Minuto Espil, Alejandro A. Vaisman

November 2004 **Proceedings of the 7th ACM international workshop on Data warehousing and OLAP DOLAP '04**

Publisher: ACM Press

Full text available: [.pdf\(375.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A peer-to-peer (P2P) data management system consists essentially in a network of peer systems, each maintaining full autonomy over its own data resources. Data exchange between peers occurs when one of them, in the role of a local peer, needs data available

in other nodes, denoted the acquaintances of the local peer. No global schema is assumed to exist for any data under this computing paradigm. Henceforth, data provided by an acquaintance of a local peer must be adapted, in a manner that an ...

**Keywords:** OLAP, P2P computing, data warehousing

#### 4 Database design with common sense business reasoning and learning

 Veda C. Storey, Roger H. L. Chiang, Debabrata Dey, Robert C. Goldstein, Shankar Sudaresan  
December 1997 **ACM Transactions on Database Systems (TODS)**, Volume 22 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(1.30 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Automated database design systems embody knowledge about the database design process. However, their lack of knowledge about the domains for which databases are being developed significantly limits their usefulness. A methodology for acquiring and using general world knowledge about business for database design has been developed and implemented in a system called the Common Sense Business Reasoner, which acquires facts about application domains and organizes them into a hierarchical, con ...

**Keywords:** common sense business reasoner, common sense learning, common sense reasoning, database design, entity-relationship model

#### 5 Technical papers: mobile and distributed computing: Network abstractions for context-aware mobile computing

 Gruia-Catalin Roman, Christine Julien, Qingfend Huang  
May 2002 **Proceedings of the 24th International Conference on Software Engineering ICSE '02**

Publisher: ACM Press

Full text available:  [pdf\(1.33 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Context-aware computing is characterized by the ability of a software system to continuously adapt its behavior to a changing environment over which it has little or no control. Previous work along these lines presumed a rather narrow definition of context, one that was centered on resources immediately available to the component in question, e.g., communication bandwidth, physical location, etc. This paper explores context-aware computing in the setting of ad hoc networks consisting of numerous ...

#### 6 Efficient algorithms for processing XPath queries

 Georg Gottlob, Christoph Koch, Reinhard Pichler  
June 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(721.61 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Our experimental analysis of several popular XPath processors reveals a striking fact: Query evaluation in each of the systems requires time exponential in the size of queries in the worst case. We show that XPath can be processed much more efficiently, and propose main-memory algorithms for this problem with polynomial-time combined query evaluation complexity. Moreover, we show how the main ideas of our algorithm can be profitably integrated into existing XPath processors. Finally, we present ...

**Keywords:** Efficient Algorithms, XML, XPath

7 Multimedia and visualization track: Exploring OLAP aggregates with hierarchical visualization techniques



Svetlana Mansmann, Marc H. Scholl

March 2007 **Proceedings of the 2007 ACM symposium on Applied computing SAC '07**

Publisher: ACM Press

Full text available: [pdf\(594.67 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents an approach to exploring multidimensional data cubes with hierarchical visualization techniques. Analysts interact with data in a predominantly "drill-down" fashion, i.e. from coarse grained aggregates towards the desired level of detail. We suggest that visual hierarchies are adequate for mapping the multiscale nature of decomposition as they preserve the results of the entire interaction.

We introduce a class of visual structures called *Enhanced Decomposition T ...*

**Keywords:** *OLAP, hierarchical visualization, multidimensional data*

8 The Quadtree and Related Hierarchical Data Structures



Hanan Samet

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.87 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 A model for n-dimensional boundary topology



Henning Østergård Hansen, Niels Jørgen Christensen

June 1993 **Proceedings on the second ACM symposium on Solid modeling and applications SMA '93**

Publisher: ACM Press

Full text available: [pdf\(945.45 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

10 Avatars: a shifting interaction

Kristine Deray

May 2001 **Proceedings of the Pan-Sydney area workshop on Visual information processing - Volume 11 VIP '01**

Publisher: Australian Computer Society, Inc.

Full text available: [pdf\(117.24 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The intersection of theatre-performance, design, and informatics is a fertile area for a broader understanding of the possible design and interaction between people and avatars in simulated three dimensional information spaces. This paper outlines the theoretical modelling for the visualization of a generic avatar template applicable to information spaces. Such a representation, it is theorised, would indicate semantic and structural meanings between contents of a document collection of an infor ...

**Keywords:** avatars, experiential design, hypermedia-databases, interactive spaces, navigation, three-dimensional spaces, visualization

11 Accelerating XPath evaluation in any RDBMS

Torsten Grust, Maurice Van Keulen, Jens Teubner

 March 2004 **ACM Transactions on Database Systems (TODS)**, Volume 29 Issue 1

Publisher: ACM Press

Full text available:  pdf(781.01 KB) Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

This article is a proposal for a database index structure, the *XPath accelerator*, that has been specifically designed to support the evaluation of XPath path expressions. As such, the index is capable to support *all* XPath axes (including ancestor, following, preceding-sibling, descendant-or-self, etc.). This feature lets the index stand out among related work on XML indexing structures which had a focus on the child and descendant axes only. The index has been designed with a close ...

**Keywords:** Main-memory databases, XML, XML indexing, XPath

- 12 Poster papers - short papers: A visual interface technique for exploring OLAP data with coordinated dimension hierarchies

 Mark Sifer

November 2003 **Proceedings of the twelfth international conference on Information and knowledge management CIKM '03**

Publisher: ACM Press

Full text available:  pdf(272.82 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Multi-dimensional data occurs in many domains while a wide variety of text based and visual interfaces for querying such data exists. But many of these interfaces are not applicable to OLAP, as they do not support use of dimension hierarchies for selection and aggregation. We introduce an interface technique which supports visual querying of OLAP data, that has been implemented in the SGViewer tool. It is based on a data graph rather than a data cube representation of the data. Our interface pre ...

**Keywords:** OLAP, data exploration, hierarchies, interface

- 13 Tests on parallel machines of a domain decomposition method for a composite three-dimensional structural analysis problem

 F.-X. Roux

June 1988 **Proceedings of the 2nd international conference on Supercomputing ICS '88**

Publisher: ACM Press

Full text available:  pdf(1.08 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We report about parallel implementation on LCAP1 system and on CRAY2 supercomputer of a parallel algorithm based on a domain decomposition method with LaGrange multiplier, for solving an ill conditioned three dimensional composite structural analysis problem, with as many as one million degrees of freedom. We show that this method has very good features on both granularity and data dependency viewpoints. The tests performed prove that the choice of the local solver is very import ...

- 14 Cheops: a compact explorer for complex hierarchies

Luc Beaudoin, Marc-Antoine Parent, Louis C. Vroomen

October 1996 **Proceedings of the 7th conference on Visualization '96 VIS '96**

Publisher: IEEE Computer Society Press

Full text available:  pdf(1.14 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** focus+context techniques, graphical browser, hierarchical representation, information visualization and exploration

15 Three dimensional tree grammars for the modeling of plants

 Jeffrey J. McConnell

February 1988 **Proceedings of the 1988 ACM sixteenth annual conference on Computer science CSC '88**

Publisher: ACM Press

Full text available:  [pdf\(488.88 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A system to generate pictures of plants requires a model for plant growth, that includes size and shape influences, and a renderer to produce images from the model output. The model of this two step process is examined, from a basis in botanical research. An enhancement of graph grammars to three dimensions is presented for the model of plant growth. A discussion of the use of these grammars to model plant growth examines the three botanical elements of phyllotaxis, branch orientation, and ...

16 INsite: introduction to a generic paradigm for interpreting user-Web space interaction

 Adil Faisal, Cyrus Shahabi, Margaret McLaughlin, Frederick Betz

November 1999 **Proceedings of the 2nd international workshop on Web information and data management WIDM '99**

Publisher: ACM Press

Full text available:  [pdf\(818.59 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

INsite is a heuristic-based implementation to provide consistent tracking, analysis and visualization of users' interactions with a generic web site. Our research has immediate applicability in such disparate fields as Business, E-commerce, Distance Education, Entertainment and Management for capturing individual and collective profiles of customers, learners and employees. INsite can identify trends and changes in user(s) behavior (interests) by monitoring their online interactions. It has ...

**Keywords:** WWW, Web mining, Web navigation analysis, Web space, traffic analysis, user profile, visualization

17 An application of a context-aware file system

Christopher K. Hess, Roy H. Campbell

December 2003 **Personal and Ubiquitous Computing**, Volume 7 Issue 6

Publisher: Springer-Verlag

Full text available:  [pdf\(383.26 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Ubiquitous computing environments stretch the requirements of traditional infrastructures used to facilitate the development of applications. Activities are often supported by collections of applications, some of which are automatically launched with little or no human intervention. This task-driven environment challenges existing application construction and data management techniques. In this paper, we describe a file system that organises application data based on contextual information, impo ...

**Keywords:** Context, Data management, File systems, Operating systems, Ubiquitous computing spaces

18 The efficiency of greedy routing in hypercubes and butterflies

George D. Stamoulis, John N. Tsitsiklis

June 1991 **Proceedings of the third annual ACM symposium on Parallel algorithms**

**and architectures SPAA '91****Publisher:** ACM PressFull text available: [pdf\(1.19 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**19 DTN routing in a mobility pattern space**

Jérémie Leguay, Timur Friedman, Vania Conan

August 2005 **Proceeding of the 2005 ACM SIGCOMM workshop on Delay-tolerant networking WDTN '05****Publisher:** ACM PressFull text available: [pdf\(385.96 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Routing in delay tolerant networks (DTNs) benefits considerably if one can take advantage of knowledge concerning node mobility. The main contribution of this paper is the definition of a generic routing scheme for DTNs using a high-dimensional Euclidean space constructed upon nodes' mobility patterns. We call this the *MobySpace*. One way of representing nodes in this space is to give them coordinates that correspond to their probability of being found in each possible location. We present ...

**Keywords:** delay tolerant networks, mobility, routing**20 The impact of communication locality on large-scale multiprocessor performance**

Kirk L. Johnson

April 1992 **ACM SIGARCH Computer Architecture News , Proceedings of the 19th annual international symposium on Computer architecture ISCA '92**, Volume 20 Issue 2**Publisher:** ACM PressFull text available: [pdf\(1.30 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As multiprocessor sizes scale and computer architects turn to interconnection networks with non-uniform communication latencies, the lure of exploiting communication locality to increase performance become inevitable. Models that accurately quantify locality effects provide invaluable insight into the importance of exploiting locality as machine sizes and features change. This paper presents a framework for modeling the impact of communication locality on system performance. The framework p ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#)     [QuickTime](#)     [Windows Media Player](#)     [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((data and context dimension)&lt;in&gt;metadata)"

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance in Descending** order.[» Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) Check to search only within this results setDisplay Format:  Citation  Citation & Abstract[» Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#) [e-mail](#)

Results for "(context dimension&lt;in&gt;metadata)"

Your search matched **0** documents.A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)

(context dimension&lt;in&gt;metadata)

 Check to search only within this results setDisplay Format:  Citation  Citation & Abstract» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by  
